

### REINFORCEMENT SPECIFICATIONS

PLEASE NOTE: ALL REQUIREMENTS TO BE VERIFIED BY MANUFACTURERS SPEC SHEETS PROVIDED BY HENRY SCHEIN DENTAL EQUIPMENT SPECIALIST. MANUFACTURERS SPECS SUPRESEDE ANY AND ALL INFORMATION CONTAINED HEREIN.

QUANTITY	DESCRIPTION	MECH. DETAIL	CONS. DETAIL
9	INTRAOVAL X-RAY (SELF-CONTAINED) - REQUIRES A MECHANICAL GROUND AND MOUNTING SUPPORT	W102	
1	PANORAMIC AND/OR CEPHALOMETRIC X-RAY/CONE BEAM - REQUIRES A MECHANICAL GROUND.	W107	
2	BLOCKING - UPPER SUPPORT - FOR WALL HUNG CABINETS.	W109	

### WALL LEGEND

NEW WALLS TO BE CONSTRUCTED

NEW REINFORCEMENT PLACED FOR EQUIPMENT. SEE REINFORCEMENT SPECIFICATION SCHEDULE THIS SHEET FOR MORE INFORMATION.

SEE SHEET SA.3 FOR ILLUSTRATIONS & DETAILS

### DOOR TYPES

SCALE: 1/4"=1'-0"

10 HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

11 HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

20 HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

30 HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

70 HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

### WINDOW TYPES

SCALE: 1/4"=1'-0"

A HOLLOW CORE HOLLOW CORE ALUMINUM WOOD DOOR STOREFRONT METAL

